




PJ-800 Series A4 mobile printer range

brother.co.uk/mobile-printers



These compact mobile printers offer a durable 'in the field' mobile printing solution for sales, logistics, and emergency services. Bluetooth, Wi-Fi and USB connections easily link to smartphones, tablets and laptops.

- A4 sized printing in a compact design
- Fast print speed up to 13.5 pages per minute
- High quality print resolution up to 300dpi
- Direct thermal No ink or toner required
- Powered by rechargeable batteries or AC adapter/vehicle power adapters
- Multiple connection methods available including Bluetooth, Wireless Direct, Wi-Fi and USB

#### Ultra compact 26cm long



# Why choose a mobile printer from Brother?

Companies today are striving to differentiate themselves from the competition and are therefore investing in technologies which will increase worker productivity and improve customer satisfaction.

Brother's mobile printing solutions are about more than just printing on the go. They can free workforces to complete a process or finish a job by providing professional documentation - on the spot, wherever their work takes them.

Brother has the most advanced line up of mobile printers on the market, featuring models which are small, lightweight and versatile enough to be carried in a bag or mounted in a car.

### The benefits of printing on the move:

- Complete paperwork on the spot to complete a task
- Issue professional quality documents
- Remove errors and poor legibility by replacing manual, hand-written documents
- Improve professionalism and customer service
- Reduce processing time and costs
- Replace the need to sign and send documents back to central office for printing.



# Vertical markets & applications



### Field Sales

Exceed customer expectations by using the PJ-800 series printer while on the move or on site. Busy field sales professionals are able to print whatever is required at the their customers' premises without having to communicate back to the office, giving them more time to visit other customers.

# Applications:

- Invoices
- Reports
- Quotations
- Contracts
- Terms & conditions
- Financial planning





### **Tattoo Artists**

The PJ-800 series is completely portable and fits neatly in a drawer or travel case. So it is perfect for travelling, conventions and studios. Its direct thermal printing technology ensures reliable quality, whatever the conditions or environment. Whilst printing, it also recognises change of tones, so during tattooing, you will be able to see areas that change tone/shade clearly, instead of outlines.

### Applications:

- Stencil printing
- Convention invoices





### Field Service

Mobile engineers are able to increase efficiency and accuracy by leaving hard copies of documents while on the move, and reduce the risk of any future queries.

### Applications:

- Invoices
- Service reports
- Quotations
- · Parts and labour
- Diagnostics
- Services carried out (CP12 gas safety certificate)
- Inspection reports





### **Public Services**

When used together with the vehicle mount & car charger, they have proved to be the perfect in-vehicle solution for the Police, Ambulance and Fire Services on a global scale. By printing medical documents and penalty fines on demand they can reduce the risk of clerical errors saving officers and medical staff valuable time.

# Applications:

- · Citations and fines
- Patient reports
- Incident reports
- Warning notices





### Logistics & Deliveries

Print a wide range of documents while on the road, in the truck or at your customer's premises. The fast print speed is ideal for busy delivery drivers with hectic schedules.

### Applications:

- Invoices
- Order forms
- Delivery notes
- Stock data
- Guarantees



### PJ-800 series

# Key features and benefits

When investigating the options for mobile print technology, thermal printers as the only true and reliable solution for field professionals.

Printers using direct thermal technology produce an image by heating specially coated thermal paper. When the paper passes over the thermal print head, the coating turns black in the areas where it is heated, producing an image.



# Reasons to switch to a compact thermal printer:

### Cost efficiency

Perfect for busy mobile workers focusing on the job at hand without the inconvenience, or the added cost of purchasing ink, toner or ribbons.

### **Productivity**

No downtime due to ink, toner or ribbons running out, and being unable to source replacements quickly will result in increased efficiency.

### Flexibility

Optional accessories enable the machine to be mounted, in any orientation, and can also be carried around without the risk of spillages, leaks and smudges.

### Reliability

Less susceptibility to fluctuating seasonal temperatures and humidity extremes compared to other mobile technologies.

### Further features include:

- Basic Imaging Protocol (BIP) support for downloading and printing JPEG files
- The ability to store document overlays in the printer to minimise data transfers
- Fully featured design software for creating & downloading the document overlays
- ZPL2 emulation along with other printer command languages offers compatibility with a variety of embedded systems.

At just 26 cm wide and weighing approximately 480g (excluding battery), the PJ-800 series offers a true A4 mobile solution that fits easily into a briefcase or computer bag, and can be mounted in vehicles or other work spaces. A4 size is ideal for printing documents where detailed information is required, such as invoices, service reports and delivery notes. There is also a full range of accessories available, allowing the PJ-800 series to be fully customised as needed.



Direct thermal printing offers the most reliable technology for mobile printing solutions



Seamless connections with Bluetooth, Wi-Fi and USB for communications to other devices





Compact, lightweight design for ultimate portability

# Software support and features

Brother can provide the necessary tools required for software developers to integrate the print function into their mobile app. Printer drivers are available for Windows® OS, and Software Development Kits (SDK) can be provided to support Apple iOS, Android and applications.

Connect your PJ device to a smartphone or tablet to print from the Brother iPrint&Scan app. Connect via your local wireless network or Bluetooth and simply click print, choose where to print from and select the desired document.

To see more information visit: <a href="https://www.brother.co.uk/support/all-apps">https://www.brother.co.uk/support/all-apps</a>

Download the iPrint&Scan app:







Use A4 cut sheet paper or continuous paper rolls. Simply tear the paper once printed



Choice of power options including Li-ion rechargeable battery, AC adapters or vehicle power kits




Durable and dependable, The PJ-800 series has been designed for reliable printing in many environments



### Step 1: Choose your printer

Model comparison	PJ-822	PJ-823	PJ-862	PJ-863	PJ-883
USB Type-C	<b>/</b>	1	1	1	<b>/</b>
Bluetooth interface			1	1	1
Wi-Fi (Adhoc/Infrastructure/Wireless Direct)					1
203 x 200 dpi print resolution	<b>/</b>		1		
300 x 300 dpi print resolution		1		1	1
Template download/printing mode	<b>/</b>	1	1	1	1
ESC/P & Brother command modes including ZPL2 emulation	<b>/</b>	1	1	1	1
MFi			1	1	1

### Step 2: Choose your power options




Step 3: Choose your case and mounting option



Step 4: Choose your paper





# **Specification and features**

	PJ-822	PJ-823	PJ-862	PJ-863	PJ-883	
PRINTING		•				
Print technology	Direct thermal					
Print resolution	203dpi	300dpi	203dpi	300dpi	300dpi	
Print speed	13.5ppm	13.5ppm	13.5ppm	13.5ppm	13.5ppm	
Print width (maximum)	203.2mm	203.2mm	203.2mm	203.2mm	203.2mm	
Print length (minimum)	279.4mm	279.4mm	279.4mm	279.4mm	279.4mm	
MEDIA						
Media sizes			A4, A5, letter, legal, continuou	IS		
Media types	Paper and synthetic Full-page: cut sheet, continuous roll, perforated roll, fan-fold Labels: Cut Sheet, Fan-Fold					
Media thickness		0.16mm or less				
Media width (minimum)		Cut sheet p	paper 148 mm (A5). Roll paper	210mm (A4)		
Media width (maximum)		Cut sheet paper 215.9	mm (Letter/Legal). Roll paper 2	215.9 mm (Letter/Legal)		
CONNECTIVITY						
USB		U	SB Ver.2.0 (Full Speed) (Type	C)		
Bluetooth	N	/A		Ver.5.2 (Classic + BLE)		
Bluetooth Profile	N	/A	SPP, OPP, HCRP (Blu	uetooth Classic), GATT (Bluetoot	h Low Energy) iAP	
Wi-Fi	PJ-883 ONLY Wireless LAN (5GHz) IEEE 802.11 a/n, 802.11i, 802.11r, WPS2.0 (Infrastructure Mode) Wireless LAN(2.4GHz) IEEE 802.11 b/g/n, 802.11i, 802.11r, WPS2.0 (Infrastructure Mode) IEEE 802.11 g/n, 802.11d, 802.11i (Wireless Direct Mode)					
Wi-Fi security	PJ-883 ONLY Authentic method (encryption scheme) * Infrastructure mode  • Open system (None/ WEP64/WEP128) • Common key authentication (WEP) WPA/WPA2-PSK/WPA3-SAE (TKIP+AES)  • WPA3-SAE (AES) • EAP-FAST (TKIP/AES) • PEAP (TKIP/AES) • EAP-TLS (TKIP/AES) • EAP-TTLS (TKIP/AES)  TLS 1.0/1.1/1.2/1.3					
	Authentic met	Authentic method (encryption scheme) * Wireless direct mode • WPA2-PSK (AES) • WPS (Wi-Fi Protected Setup) 802.11i				
MFi support	N	/A	Yes		Yes	
AirPrint / Mopria™	N	/A	N/A		Yes	
Wireless Direct	N	/A	N/A		Yes	
NFC	N	/A		Yes (for pairing - Andriod only)		
GENERAL						
Control panel	3 LEDs wi	th 2 buttons		4 LEDs with 3 buttons		
POWER						
Supply for printing	Li-	ion Battery (PA-BT-002) AC A	dapter (PA-AD-600A) DC Veh	icle Adapter (PA-CD-600CG/V	/R)	
Battery charging option	A	AC Adapter (PA-AD-600A) DC Vehicle Adapter (PA-CD-600CG/WR) USB Type-C (PA-AD-003)				
Battery capacity	1,750 mAh					
Battery yield		Approx. 600 sheets (Under Brother standard environment)				
Charging time	2 hours with AC Adapter (PA-AD-600A, option) 2 hours with DC Vehicle Adapter (PA-CD-600CG/WR, option) 2 hours with USB Type-C Adapter (PA-AD-003, option)at normal temperature condition					
MEMORY						
RAM		256MB				
Flash		64MB (User area: 30MB)				
ENVIRONMENTAL						
Operating temperature	Printing with Battery/Car Adapter -10°C to 50°C Printing with AC Adapter -10°C to 40°C Charging 0°C to 40°C/32°F to 104°F					
Operating humidity	20% to 80% non-condensing					
Storage temperature	-20°C to 60°C					
Storage humidity	10% to 90% non-condensing					
Dimensions	255 mm (W) x 55 mm (D) x 30 mm (H)					
Weight	610g with battery (optional) 480g with dummy battery 430g without battery					
Storage humidity  WEIGHTS & DIMENSIONS  Dimensions	10% to 90% non-condensing  255 mm (W) x 55 mm (D) x 30 mm (H)  610g with battery (optional) 480g with dummy battery					

# Specification and features continued

	PJ-822	PJ-823	PJ-862	PJ-863	PJ-883		
SOFTWARE							
Operating system support		Microsoft® Windows® 8.1 / 10 / 11 Microsoft® Windows Server® 2012 / 2012 R2 / 2016 / 2019 / 2022 macOS® 10.15 / 11 / 12 Linux Red Hat and Debian					
Mobile OS		Android 8-12 iOS 11-15*  * Supports Bluetooth communication from ver. 12.2 or later.  For the latest information, see the developer's website.					
Supported commands		Raster graphic ESC/P Legacy (ESC/P_P) ESC/P Brother (ESC/P_B) P-touch Template ZPL2 emulation					
Barcode symbologies	CODE	Linear (1 dimensional barcode symbologies) <common> CODE39, ITF(I-2/5), EAN-8(JAN8), EAN-13(JAN13), UPC-A, UPC-E, CODABAR(NW-7), CODE128, GS1-128(UCC/EAN-128), POSTNET, GS1 DataBar (RSS)  <additional esc="" mode="" p=""> CODE93, UPC/EAN EXTENSION, MSI, Intelligent Mail Barcode  <additional mode="" p-touch="" template=""> Intelligent Mail Barcode  <additional ii="" mode="" zpl="">  CODE93, UPC/EAN EXTENSION, MSI, Intelligent Mail Barcode, Industrial 2-of-5, Standard 2-of-5 2D (2 dimensional barcode symbologies)  <common>  QR Code, PDF417, MaxiCode, Aztec  <additional esc="" mode="" p="">  Micro QR Code, MicroPDF417, DataMatrix  <additional mode="" p-touch="" template="">  GS1 Databar Composite, Micro QR Code, MicroPDF417, DataMatrix  <additional ii="" mode="" zpl=""> GS1 Databar Composite, MicroPDF417, DataMatrix  *Supported barcodes depend on printer command. Please refer to the command reference for details.</additional></additional></additional></common></additional></additional></additional></common>					
Internal fonts	<esc p=""> Bitmap font: Gothic (16, 24, 32dot), Letter Gothic Bold, Helsinki (16, 24, 32, 48dot), Brussel, San Diego, Broughham (24, 32, 48dot) Outline font: Gothic, Letter Gothic, Helsinki, Brussel (Max: 400dot) <p-touch template=""> Outline font: Gothic, Letter Gothic, Helsinki, Brussel (Max: 400dot) <zpl emulation="" ii=""> Bitmap font: "A","B","C","D","E","F","G","H" Outline font: "O"</zpl></p-touch></esc>						
INCLUDED ITEMS							
Included in box		USB Cable (Type A-Type C	) mainly for data communic Quick Start Guide Cleaning Sheet	ation rather than charging			





Contact:		

www.brother.co.uk/mobile-printers

### **Brother UK Ltd**

Brother UK Ltd, Shepley St, Audenshaw, Manchester M34 5JD Tel: +44(0)161 330 6531

Fax: +44(0)161 330 5520

All specifications correct at the time of printing (July 2022) and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.